



T50-4G-5S1-02


Flange Termination 5 Watts, 50 Ω

Electrical Specs

| | |
|---|---------------|
| Resistance Value (Ω) : | 50, $\pm 2\%$ |
| Frequency range (MHz) : | DC-4000 |
| Power (Watts) : | 5 |
| VSWR : | 1.20 : 1 |


Mechanical Specs

| | |
|------------------------------------|-----------------|
| Flange Style : | 1 Hole |
| Flange Size WxLxT (mm.) : | 4.0 x 9.0 x 1.0 |
| Tab width/Thickness (mm.) : | 1.0/0.150 |
| Tab Height (mm.) : | 2.0 |
| Mounting Hole Dia.(mm.) : | 2.0 |



Environment & Others

| | |
|----------------------------|--------------------------------|
| Operating Temp. : | -55°C to + 150°C |
| Resistive Element : | Thick film |
| Substrate : | BeO |
| Cover : | Al ₂ O ₃ |
| Lead : | Silver or Copper |



AEROCOMM Co., Ltd.

89 & 89/1 Intamara 41, Sutthisarn Road , Dindaeng , Bangkok 10400 THAILAND

Tel : (662) 6938300 - 2, (662) 6937880 - 1 Fax : (662) 6938304

Email : aerocomm@aerocommthailand.com Website : www.aerocommthailand.com

Specifications contained herein are subject to change without notice. AeroComm Co., Ltd. assumes no liability for the use of this information.